


2015

WIRING DEVICES

NEMA Connectors, Plugs and Receptacles



Rong Kuang Electric Co., Ltd.

ISO 9001 Certified

Product List

Straight Blade Type										
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page	
5-15	J-710	Plug	2	3	15	125	Nylon	UL, cUL	1	
	J-712	Connector	2	3	15	125	Nylon	UL, cUL		
	J-501	Flanged Inlet	2	3	15	125	Nylon	UL, cUL		
	J-502	Flanged Outlet	2	3	15	125	Nylon	UL, cUL		
6-15	J-720	Plug	2	3	15	250	Nylon	UL, cUL		
	J-722	Connector	2	3	15	250	Nylon	UL, cUL		
	J-505	Flanged Inlet	2	3	15	250	Nylon	UL, cUL		
5-20	J-506	Flanged Outlet	2	3	15	250	Nylon	UL, cUL		
	J-716	Plug	2	3	20	125	Nylon	UL, cUL		2
	J-718	Connector	2	3	20	125	Nylon	UL, cUL		
J-503	Flanged Inlet	2	3	20	125	Nylon	UL, cUL			
J-504	Flanged Outlet	2	3	20	125	Nylon	UL, cUL			
6-20	J-726	Plug	2	3	20	250	Nylon	UL, cUL		
	J-728	Connector	2	3	20	250	Nylon	UL, cUL		
	J-507	Flanged Inlet	2	3	20	250	Nylon	UL, cUL		
J-508	Flanged Outlet	2	3	20	250	Nylon	UL, cUL			
Locking Devices										
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page	
L5-15	J-701	Plug	2	3	15	125	Nylon	UL, cUL	3	
	J-703	Connector	2	3	15	125	Nylon	UL, cUL		
	J-509	Flanged Inlet	2	3	15	125	Nylon	UL, cUL		
	J-510	Flanged Outlet	2	3	15	125	Nylon	UL, cUL		
	J-702	Receptacle	2	3	15	125	Nylon	UL, cUL		
L5-20	WJ-8320	Plug	2	3	20	125	PC+Nylon	UL, cUL		
	WJ-9320B	Connector	2	3	20	125	PC+Nylon	UL, cUL		
	J-513	Flanged Inlet	2	3	20	125	PC+Nylon	UL, cUL		
	J-514	Flanged Outlet	2	3	20	125	PC+Nylon	UL, cUL		
	WJ-6323B	Receptacle	2	3	20	125	P.B.T	UL, cUL		
L5-30	WJ-8330	Plug	2	3	30	125	PC+Nylon	UL, cUL		
	WJ-9330B	Connector	2	3	30	125	PC+Nylon	UL, cUL		
	J-517	Flanged Inlet	2	3	30	125	PC+Nylon	UL, cUL		
	J-518	Flanged Outlet	2	3	30	125	PC+Nylon	UL, cUL		
L6-15	WJ-6330B	Receptacle	2	3	30	125	P.B.T	UL, cUL		
	J-705	Plug	2	3	15	250	Nylon	UL, cUL	4	
	J-707	Connector	2	3	15	250	Nylon	UL, cUL		
	J-511	Flanged Inlet	2	3	15	250	Nylon	UL, cUL		
	J-512	Flanged Outlet	2	3	15	250	Nylon	UL, cUL		
J-706	Receptacle	2	3	15	250	Nylon	UL, cUL			
L6-20	WJ-8321	Plug	2	3	20	250	PC+Nylon	UL, cUL		
	WJ-9321B	Connector	2	3	20	250	PC+Nylon	UL, cUL		
	J-515	Flanged Inlet	2	3	20	250	PC+Nylon	UL, cUL		
	J-516	Flanged Outlet	2	3	20	250	PC+Nylon	UL, cUL		
L6-30	WJ-6322B	Receptacle	2	3	20	250	P.B.T	UL, cUL		
	WJ-8331	Plug	2	3	30	250	PC+Nylon	UL, cUL, PSE		
	WJ-9331B	Connector	2	3	30	250	PC+Nylon	UL, cUL		
	J-519	Flanged Inlet	2	3	30	250	PC+Nylon	UL, cUL		
	J-520	Flanged Outlet	2	3	30	250	PC+Nylon	UL, cUL		
WJ-6331B	Receptacle	2	3	30	250	P.B.T	UL, cUL			

Product List

Locking Devices										
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page	
L14-20	WJ-8420	Plug	3	4	20	125/250	PC+Nylon	UL, cUL	5	
	WJ-9420B	Connector	3	4	20	125/250	PC+Nylon	UL, cUL		
	J-521	Flanged Inlet	3	4	20	125/250	PC+Nylon	UL, cUL		
	J-522	Flanged Outlet	3	4	20	125/250	PC+Nylon	UL, cUL		
	WJ-6420B	Receptacle	3	4	20	125/250	P.B.T	UL, cUL		
L14-30	WJ-8430	Plug	3	4	30	125/250	PC+Nylon	UL, cUL		
	WJ-9430B	Connector	3	4	30	125/250	PC+Nylon	UL, cUL		
	J-525	Flanged Inlet	3	4	30	125/250	PC+Nylon	UL, cUL		
	J-526	Flanged Outlet	3	4	30	125/250	PC+Nylon	UL, cUL		
L14-30	WJ-6430B	Receptacle	3	4	30	125/250	P.B.T	UL, cUL		
	WJ-8421	Plug	3	4	20	250	PC+Nylon	UL, cUL		6
	WJ-9421B	Connector	3	4	20	250	PC+Nylon	UL, cUL		
J-523	Flanged Inlet	3	4	20	250	PC+Nylon	UL, cUL			
J-524	Flanged Outlet	3	4	20	250	PC+Nylon	UL, cUL			
L15-20	WJ-6421B	Receptacle	3	4	20	250	P.B.T	UL, cUL		
	WJ-8431	Plug	3	4	30	250	PC+Nylon	UL, cUL	7	
	WJ-9431B	Connector	3	4	30	250	PC+Nylon	UL, cUL		
J-527	Flanged Inlet	3	4	30	250	PC+Nylon	UL, cUL			
J-528	Flanged Outlet	3	4	30	250	PC+Nylon	UL, cUL			
L16-20	WJ-6436B	Receptacle	3	4	30	250	P.B.T	UL, cUL		
	WJ-8422	Plug	3	4	20	480	Nylon	UL, cUL		
	WJ-9422	Connector	3	4	20	480	Nylon	UL, cUL		
	J-529	Flanged Inlet	3	4	20	480	Nylon	UL, cUL		
	J-530	Flanged Outlet	3	4	20	480	Nylon	UL, cUL		
L16-30	WJ-8432	Plug	3	4	30	480	Nylon	UL, cUL		
	WJ-9432	Connector	3	4	30	480	Nylon	UL, cUL		
	J-531	Flanged Inlet	3	4	30	480	Nylon	UL, cUL		
	J-532	Flanged Outlet	3	4	30	480	Nylon	UL, cUL		
L17-30	WJ-8433	Plug	3	4	30	600	Nylon	UL, cUL	8	
	WJ-9433	Connector	3	4	30	600	Nylon	UL, cUL		
	J-533	Flanged Inlet	3	4	30	600	Nylon	UL, cUL		
	J-534	Flanged Outlet	3	4	30	600	Nylon	UL, cUL		
L21-20	WJ-8521	Plug	4	5	20	120/208	Nylon	UL, cUL		
	WJ-9521	Connector	4	5	20	120/208	Nylon	UL, cUL		
	J-535	Flanged Inlet	4	5	20	120/208	Nylon	UL, cUL		
L21-30	J-536	Flanged Outlet	4	5	20	120/208	Nylon	UL, cUL		
	WJ-8531	Plug	4	5	30	120/208	Nylon	UL, cUL		
	WJ-9531	Connector	4	5	30	120/208	Nylon	UL, cUL		
L22-20	J-537	Flanged Inlet	4	5	30	120/208	Nylon	UL, cUL		
	J-538	Flanged Outlet	4	5	30	120/208	Nylon	UL, cUL		
	WJ-8522	Plug	4	5	20	277/480	Nylon			
	WJ-9522	Connector	4	5	20	277/480	Nylon			
L22-30	J-539	Flanged Inlet	4	5	20	277/480	Nylon			
	J-540	Flanged Outlet	4	5	20	277/480	Nylon			
	WJ-8532	Plug	4	5	30	277/480	Nylon			
	WJ-9532	Connector	4	5	30	277/480	Nylon			
L22-30	J-541	Flanged Inlet	4	5	30	277/480	Nylon			
	J-542	Flanged Outlet	4	5	30	277/480	Nylon			

Product List

Locking Devices									
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page
L23-20	WJ-8523	Plug	4	5	20	347/600	Nylon		9
	WJ-9523	Connector	4	5	20	347/600	Nylon		
	J-543	Flanged Inlet	4	5	20	347/600	Nylon		
	J-544	Flanged Outlet	4	5	20	347/600	Nylon		
L23-30	WJ-8533	Plug	4	5	30	347/600	Nylon		
	WJ-9533	Connector	4	5	30	347/600	Nylon		
	J-545	Flanged Inlet	4	5	30	347/600	Nylon		
	J-546	Flanged Outlet	4	5	30	347/600	Nylon		
Japan Limited									
L5-20	WJ-6321B	Receptacle	2	3	20	125	Phenolic	UL, CSA	10
L6-20	WJ-6320B	Receptacle	2	3	20	250	Phenolic	UL, CSA	
L5-30	WJ-6330B	Receptacle	2	3	30	125	Phenolic	UL, CSA	
L6-30	WJ-6331B	Receptacle	2	3	30	250	Phenolic +P.B.T	UL, PSE	
L5-30	WJ-6332B	Receptacle	2	3	30	125	Phenolic	UL, CSA	
L14-30	WJ-6432B	Receptacle	3	4	30	125/250	Phenolic	UL, CSA	
L14-20	WJ-6422B	Receptacle	3	4	20	125/250	Phenolic	UL, CSA	
L14-30	WJ-6433B	Receptacle	3	4	30	125/250	Phenolic	UL, CSA	

Straight Blade Type

2 Pole 3 Wire Grounding
NEMA 5-15, 15A 125V
NEMA 6-15, 15A 250V

NEMA 5-15

NEMA 6-15

Plug



J-710



J-720

Connector



J-712



J-722

Flanged Inlet



J-501



J-505

Flanged Outlet



J-502



J-506

Straight Blade Type

2 Pole 3 Wire Grounding
 NEMA 5-20, 20A 125V
 NEMA 6-20, 20A 250V

NEMA 5-20

NEMA 6-20

Plug



Connector



Flanged Inlet



Flanged Outlet



Locking Devices

2 Pole 3 Wire Grounding
 NEMA L5-15, 15A 125V
 NEMA L5-20, 20A 125V
 NEMA L5-30, 30A 125V

NEMA L5-15

NEMA L5-20

NEMA L5-30

Plug



Connector




Flanged Inlet



Flanged Outlet



Receptacle



Locking Devices

2 Pole 3 Wire Grounding
 NEMA L6-15, 15A 250V
 NEMA L6-20, 20A 250V
 NEMA L6-30, 30A 250V

NEMA L6-15

NEMA L6-20

NEMA L6-30

Plug



Material:
Nylon



J-705



Material:
PC+Nylon



WJ-8321



Material:
PC+Nylon



WJ-8331

Connector



Material:
Nylon



J-707



Material:
PC+Nylon



WJ-9321B



Material:
PC+Nylon



WJ-9331B

Flanged Inlet



Material:
Nylon



J-511



Material:
PC+Nylon



J-515



Material:
PC+Nylon



J-519

Flanged Outlet



Material:
Nylon



J-512



Material:
PC+Nylon



J-516



Material:
PC+Nylon



J-520

Receptacle



Material:
Nylon



J-706



Material:
P.B.T



WJ-6322B



Material:
P.B.T



WJ-6331B

Locking Devices

3 Pole 4 Wire Grounding
 NEMA L14-20, 20A 125/250V
 NEMA L14-30, 30A 125/250V
 NEMA L15-20, 20A 250V

NEMA L14-20

NEMA L14-30

NEMA L15-20

Plug



Material:
PC+Nylon



WJ-8420



Material:
PC+Nylon



WJ-8430



Material:
PC+Nylon



WJ-8421

Connector



Material:
PC+Nylon



WJ-9420B



Material:
PC+Nylon



WJ-9430B



Material:
PC+Nylon



WJ-9421B

Flanged Inlet



Material:
PC+Nylon



J-521



Material:
PC+Nylon



J-525



Material:
PC+Nylon



J-523

Flanged Outlet



Material:
PC+Nylon



J-522



Material:
PC+Nylon



J-526



Material:
PC+Nylon



J-524

Receptacle



Material:
P.B.T



WJ-6420B



Material:
P.B.T



WJ-6430B



Material:
P.B.T



WJ-6421B

Locking Devices

3 Pole 4 Wire Grounding
 NEMA L15-30, 30A 250V
 NEMA L16-20, 20A 480V
 NEMA L16-30, 30A 480V

NEMA L15-30 NEMA L16-20 NEMA L16-30

Plug



Connector



Flanged Inlet



Flanged Outlet



Receptacle



Locking Devices

3 Pole 4 Wire Grounding
 NEMA L17-30, 30A 600V
 4 Pole 5 Wire Grounding
 NEMA L21-20, 20A 120/208V
 NEMA L21-30, 30A 120/208V

NEMA L17-30 NEMA L21-20 NEMA L21-30

Plug



Connector



Flanged Inlet



Flanged Outlet



Locking Devices

4 Pole 5 Wire Grounding
NEMA L22-20, 20A 277/480V
NEMA L22-30, 30A 277/480V

NEMA L22-20

NEMA L22-30

Plug

Material: Nylon



WJ-8522

Material: Nylon



WJ-8532

Connector

Material: Nylon



WJ-9522

Material: Nylon



WJ-9532

Flanged Inlet

Material: Nylon



J-539

Material: Nylon



J-541

Flanged Outlet

Material: Nylon



J-540

Material: Nylon



J-542

Locking Devices

4 Pole 5 Wire Grounding
NEMA L23-20, 20A 347/600V
NEMA L23-30, 30A 347/600V

NEMA L23-20

NEMA L23-30

Plug

Material: Nylon



WJ-8523

Material: Nylon



WJ-8533

Connector

Material: Nylon



WJ-9523

Material: Nylon



WJ-9533

Flanged Inlet

Material: Nylon



J-543

Material: Nylon



J-545

Flanged Outlet

Material: Nylon



J-544

Material: Nylon



J-546

Japan Limited Locking Receptacle



WJ-6321B

NEMA L5-20, 2 Pole, 3 Wire,
20A 125V Grounding; Material: Phenolic



WJ-6320B

NEMA L6-20, 2 Pole, 3 Wire,
20A 250V Grounding; Material: Phenolic



WJ-6330B

NEMA L5-30, 2 Pole, 3 Wire,
30A 125V Grounding;
Material: Cover- Phenolic, Base- P.B.T



WJ-6331B

NEMA L6-30, 2 Pole, 3 Wire,
30A 250V Grounding;
Material: Cover- Phenolic, Base- P.B.T



WJ-6332B

NEMA L5-30, 2 Pole, 3 Wire,
30A 125V Grounding; Material: Phenolic



WJ-6432B

NEMA L14-30, 3 Pole, 4 Wire,
30A 125/250V Grounding; Material: Phenolic




WJ-6422B

NEMA L14-20, 3 Pole, 4 Wire,
20A 125/250V Grounding; Material: Phenolic



WJ-6433B

NEMA L14-30, 3 Pole, 4 Wire,
30A 125/250V Grounding; Material: Phenolic



五洲牌
OLYMPIA

嶸光電器有限公司

Rong Kuang Electric Co., Ltd.

台南市安南區政安路57巷9號

No. 9, Ln. 57, Zheng an Rd., Annan Dist.,

Tainan City 70969, Taiwan

Tel: 886-6-3552631

Fax: 886-6-3552568

E-mail: rokuec@gmail.com

rokuec@rongkuang.com.tw

<http://www.rongkuang.com.tw>